


#### **Termination**

Termination is a kind of single-port micro-wave component which are fix to the end of the traufer-system, it can absorb all the power of the incident-wave, without reflect according the eapacity of the power can divide, min-power and max-power, it is used for testing equipment distributing system indoor..







Туре	part number	suitable cable
SMA-50JR	R031-0010	50 Ω

Frequency range	VSWR	power capacity
0~18GHz	≤1.30	0.5 W






Туре	part number	suitable cable
SMA-KR	R030-0010	50 Ω

Frequency range	VSWR	power capacity
0~18GHz	≤1.30	0.5 W






Туре	part number	suitable cable
SMA-50JR-2W	R031-0020	50 Ω

Frequency range	VSWR	power capacity
0~18GHz	≤1.30	2W

# TERMINATIONS


### CERNEX, Inc.





Туре	part number	suitable cable
SMA-50JR-5W	R031-0050	50 Ω
Frequency range	VSWR	power capacity
0~18GHz	≤1.30	5W






Туре	part number	suitable cable
SMA-50JR-15W	R031-0251	50 Ω
Frequency range	VSWR	power capacity
0~8GHz	≤1.30	15W






Туре	part number	suitable cable	
BNC-50KR	R080-0010	50 Ω	
BNC-75KR	R540-0010	75 Ω	
Frequency range	VSWR	power capacity	
0~2GHz	≤1.30	1W	
0~1GHz	≤1.30	1W	





Туре	part number	suitable cable
BNC-75JR	R541-0010	<b>75</b> Ω
Frequency range	VSWR	power capacity





Туре	part number	suitable cable
BMA-50JR	R011-0010	50 Ω
Frequency range	VSWR	power capacity
0~18GHz	≤1.30	0.5 W






Туре	part number	suitable cable
TNC-50JR	R071-0010	50 Ω
Frequency range	VSWR	power capacity
0~11GHz	≤1.30	1 W

# TERMINATIONS

## CERNEX, Inc.





Туре	part number	suitable cable
TNC-50JRG-5W	CCLDC0805TM	50 Ω
Frequency range	VSWR	power capacity
0~8GHz	≤1.30	5W






Туре	part number	suitable cable
TNC-50KR	CCLDC0801TF	50 Ω
Frequency range	VSWR	power capacity
0~8GHz	≤1.30	1 W






Туре	part number	suitable cable
N-50JR	CCLDC0801NM	50 Ω
Frequency range	VSWR	power capacity
0~8GHz	≤1.30	1W





Туре	part number	suitable cable
N-50JR-5W	CCLDC0805NM	50 Ω
Frequency range	VSWR	power capacity
0~8GHz	≤1.30	5W





Туре	part number	suitable cable
N-50JR-15W	CCLDC0815NM	50 Ω
Frequency range	VSWR	power capacity
0~8GHz	≤1.30	15W